AXIOM®-APS

Height: 23.6" (59.9cm) Width: 9.0" (22.9cm) Depth: 22.5" (57.2cm)



- Cold brew lock-out and automatic warmer time-out ensure high quality, fresh tasting coffee
- Front of machine programming simplifies installation
- For high lime areas, BrewLOGIC® technology calculates flow rate and adjusts brew time to maintain consistent pot levels
- Airpots are easily transported to remote meeting rooms, breakfast bars, etc
- Brews directly into 1.9 to 3L airpots
- Convenient airpot keeps coffee hot and fresh for hours
- Energy-saver mode reduces tank temperature during idle periods
- Ensures coffee brew quality with cold brew lock out capability
- Hot water faucet
- SplashGard® funnel deflects hot liquids away from the hand
- Servers not included unless otherwise noted

Server(s) sold separately

Agency:

Specifications

Product #: 38700.0037

Water Access: Plumbed

Finish: Stainless

Funnel: Black Plastic

Faucet: Upper

Additional Features

DBC

Electrical & Capacity

Volts*	Amps	Watts	Cord Attached	Plug Type	8oz cups/hr 236ml cups/hr	Input H²O Temp.	Phase	# Wires plus Ground	Hertz
220-240	12.5-13.6	2750-3275	Yes	EURO 16A	120	60°F (15.5°C)	1	2	50-60

*When a BUNN is machine rated 120/208-240V, 120/208V or 120/240V, the higher voltage is the supply voltage needed to power the machine. The 120V is there to supply power to some components rated 120V in the machine, but it is not the supply voltage and would not power the machine if the machine is marked with the before mentioned ratings.

Plumbing Requirements

PSI	kPa	Fitting Supplied	Water Flow Required (GPM)
20-90	138-621	3/8" Male Flare Fitting	-


CAD Drawings

2D	Revit	KLC
●		

WARNING:

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 04/08/2026



Unit				Shipping				
	Height	**Width**	**Depth**	**Height**	**Width**	**Depth**	**Weight**	**Volume**
English	23.6 in.	9.0 in.	22.5 in.	29.0 in.	11.9 in.	25.8 in.	34.550 lbs	5.145 ft³
Metric	59.9 cm	22.9 cm	57.2 cm	73.7 cm	30.2 cm	65.6 cm	15.672 kgs	0.146 m³

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 04/08/2026

Related Products & Accessories: AXIOM®-APS(38700.0037)



FUNNEL W/DECAL,PPK NAR BLK(SM)

Product #: 02774.0011[2]



FUNNEL W/DECAL,PPK NAR BLK(LG)

Product #: 04274.0012[2]



FILTERS,REGULAR1M 500/2 50/CL

Product #: 20115.0000



FILTERS,C GOURMET 500/2 50/CL

Product #: 20157.0001



FUNNEL ASSY, SST-BLK HDL(7.12

Product #: 20216.0000[2]



FUNNEL ASSY, SST-PP BLK HNDL

Product #: 29151.0000[2]



FUNNEL ASSY,SST-PP ORANGE HDL

Product #: 29151.0001[2]



WATER FILTER SYSTEM,EQ-17-TL

Product #: 30200.1000[3]



WATER FILTER,IN LINE ED-17-TL

Product #: 30201.1001[3]



FUNNEL AY,W/DECAL GRT "C"7.12

Product #: 34559.0000[2]



FUNNEL AY,W/DECAL GRT "C"7.62

Product #: 34559.0001[2]



SYSTEM, WEQ-10(1.5)5L

Product #: 56000.0024[1]



CARTRIDGE, WEQ-10 (1.5)5L

Product #: 56000.0121[1]



CARTRIDGE, WEQ-10.3 (1.67)5L

Product #: 56000.0137[1]

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 04/08/2026

Serving & Holding Options: AXIOM®-APS(38700.0037)



AIRPOT, 2.5L SST LA SINGLE PK

Product #: 32125.0000[6]

Mfr#:SVAP-2500F-N



AIRPOT, 2.5L SST LA 6/ CASE

Product #: 32125.0100[6]

Mfr#:SVAP-2500F-N



AIRPOT, 3.0L SST LA SINGLE PK

Product #: 32130.0000[6]

Mfr#:SVAP-3000F-N



AIRPOT, 3.0L SST LA 6/ CASE

Product #: 32130.0100[6]

Mfr#:SVAP-3000F-N

[1]NSF Certified [2]NSF Certified with spec sheet model listed [3]NSF Certified under Solventum Purification [4]NSF Certified under Vivreau Ltd [5]NSF Certified under Zojirushi [6]NSF Certified under Qins Inc [7]NSF COMPONENT Certified

BUNN® reserves the right to change specifications and product design without notice. Such revisions do not entitle the buyer to corresponding changes, improvements, additions or replacements for previously purchased equipment. For most current specifications and other info visit bunn.com.

Last Updated: 04/08/2026